

<i>Arbeitsblatt 5 : Symptomtraining Addition - Subtraktion</i>

Rechne aus und verwende dabei die Cruisenair-Stäbe:

$\begin{array}{r} 21 \\ +22 \\ \hline \end{array}$	$\begin{array}{r} 100 \\ - 17 \\ \hline \end{array}$	$\begin{array}{r} 35 \\ +36 \\ \hline \end{array}$	$\begin{array}{r} 29 \\ +14 \\ \hline \end{array}$	$\begin{array}{r} 56 \\ +43 \\ \hline \end{array}$
$\begin{array}{r} 25 \\ -13 \\ \hline \end{array}$	$\begin{array}{r} 78 \\ -24 \\ \hline \end{array}$	$\begin{array}{r} 100 \\ -46 \\ \hline \end{array}$	$\begin{array}{r} 45 \\ +55 \\ \hline \end{array}$	$\begin{array}{r} 78 \\ +12 \\ \hline \end{array}$
$\begin{array}{r} 32 \\ +66 \\ \hline \end{array}$	$\begin{array}{r} 98 \\ -33 \\ \hline \end{array}$	$\begin{array}{r} 56 \\ +21 \\ \hline \end{array}$	$\begin{array}{r} 77 \\ -24 \\ \hline \end{array}$	$\begin{array}{r} 57 \\ +24 \\ \hline \end{array}$
$\begin{array}{r} 5 \\ +76 \\ \hline \end{array}$	$\begin{array}{r} 100 \\ -32 \\ \hline \end{array}$	$\begin{array}{r} 17 \\ +67 \\ \hline \end{array}$	$\begin{array}{r} 25 \\ + 9 \\ \hline \end{array}$	$\begin{array}{r} 88 \\ -12 \\ \hline \end{array}$
$\begin{array}{r} 100 \\ -67 \\ \hline \end{array}$	$\begin{array}{r} 56 \\ + 7 \\ \hline \end{array}$	$\begin{array}{r} 49 \\ +18 \\ \hline \end{array}$	$\begin{array}{r} 84 \\ - 9 \\ \hline \end{array}$	$\begin{array}{r} 23 \\ +77 \\ \hline \end{array}$